

#49 - DESCRIPTION

7/8/76

Model # 1687-7, S/N 0049-

60° Top #21

156.2 grams before holes

Bridge 13.2 with finish - 16.5 w/retainer.

Braces: 1 - 8.4 6 - 3.1
 2 - 3.3 7 - 5.6
 3 - 5.6 8 - 3.3
 4 - 3.1 9 - 8.4 = 45.1
 5 - 4.3 Bridge brace 4.1
 No weighed total

Top only with bridge, braces and bridge brace.

Rim

#49-2

11/23/76

1st 6th
 .017 .027
 .072 max .098

#49-1

10/27/76

Installed on guitar. Location holes only - no flowers.

Rim thickness (3x checked) .968", .982", .985"
 (less .830" for bullet).

RL

SN

K

FF

.25 .017/.015 .009/.009 .064
 .50 .033/.031 .019/.018
 1.0 .066/.063 .039/.038

.25 .018/.017 .010/.010 .063
 .25 .036/.034 .021/.020
 1.0 .073/.070 .044/.040

pie sound comparison section 11/29/76


TECHNICIAN _____

DATE 4/1/77

DESCRIPTION _____

GUITAR NUMBER #49

db



F = 349.23
F# = 369.99


TECHNICIAN D. Johnson

DATE 11-29-76

DESCRIPTION Adams 1687-7

GUITAR NUMBER 0049-96

db



overall amplitude is
probably too low by
2 1/2 DBs
Cmnd

Hz 30. REF
E 41.2 G 49. A 55. C 65.4 D 73.4 E 82.4 G 96. A 110. C 130.8 D 146.8 E 164.8 G 196. A 220. C 261.6 D 293.7 E 329.6 G 392. A 440. C 523.3 D 587.3 E 659.3 G 784. A 880. C 1046.5 D 1174.7 E 1318.5 G 1568. A 1760. C 2093. D 2349.3 E 2637. G 3136. A 3520. C 4186. D 4698.6 E 5274. G 6271.8 A 7040. C 8372. 9000. REF D 9397.2